


TILT SERIES FITMENT GUIDE

/ Use this fitment guide to find the best fit of a Triton Tilt trailer for your vehicle.



TRITON TRAILERS

/ Tilt trailers function based on the trailer's pivot point and are affected by the vehicle's being loaded. Once the vehicle wheels pass the pivot point the tilt operation can start depending on the vehicle's center of gravity and weight. Vehicles with forward-biased weight will start tilting faster than vehicles with rear biased weight. Though a vehicle's dimensions may physically "fit" on a Triton tilt trailer, it is always a good idea to allow enough space in front and behind the vehicle for properly tying down and for adjusting to achieve proper tongue weight. Load and accessories can also change the weight distribution.

TILT 1072 max functional wheel base is up to 81"

TILT 1282 max functional wheel base is up to 93"

TILT 1482 max functional wheel base is up to 115.6" with end gate

		A - Ideal match B - Functional: Loads successfully. Bed may lift when loading and/or unloading depending on loading speed.		
Vehicles with Wheel Base up to 81"		/ TILT1072	/ TILT1282	/ TILT1482
Arctic Cat	Prowler 500	A	A	A
Arctic Cat	Prowler 1000 XT EPS	A	A	A
Arctic Cat	Prowler 700 XT EPS	A	A	A
Bad Boy	Recoil 2-Pass	A	A	A
Bad Boy	Recoil 4-Pass	A	A	A
Can-Am	Commander	A	A	A
Can-Am	Commander Mossy Oak	A	A	A
Can-Am	Commander XT	A	A	A
Honda	Pioneer 500	A	A	A
Honda	Pioneer 700	A	B	A
Honda	Pioneer 700 4	A	B	A
Honda	Pioneer 1000	A	B	A
Honda	Pioneer 1000 5	A	B	A
John Deere	TE 4X2 Electric	A	A	A
John Deere	TS 4x2	A	A	A

A - Ideal match

B - Functional: Loads successfully. Bed may lift when loading and/or unloading depending on loading speed.

Vehicles with Wheel Base up to 81"		/ TILT1072	/ TILT1282	/ TILT1482
John Deere	XUV560	A	A	A
John Deere	HPX 4x4	A	A	A
John Deere	RSX860i	A	B	A
John Deere	XUV550	A	B	A
John Deere	TX 4x2	A	B	A
John Deere	TH 6x4 Diesel	A	A	A
John Deere	TH 6x4 Gas	A	A	A
John Deere	XUV625i	A	B	A
John Deere	XUV825i	A	B	A
John Deere	XUV855D	A	B	A
Kawasaki	Mule SX	A	A	A
Kawasaki	Mule SX 4x4 SE	A	A	A
Kawasaki	Mule SX 4x4 XC	A	A	A
Kawasaki	Mule SX 4x4 XC CAMO	A	A	A
Kawasaki	Mule SX 4x4 XC SE	A	A	A
Kawasaki	Mule SX 4x4	A	A	A
Kawasaki	Mule 4000	A	B	A
Kawasaki	Mule 4010 4x4 SE	A	B	A
Kawasaki	Mule 4010 4x4	A	B	A
Kubota	RTV400Ci	A	A	A
Kubota	RTV-X1100C	B	B	A
Kubota	RTV-X1122D	B	B	A
Kubota	RTV-X900	B	B	A
Polaris	Ace 900	A	A	A
Polaris	Ranger EV	A	A	A
Polaris	Ranger EV Li-Ion	A	A	A
Polaris	Ranger 500	A	A	A
Polaris	Ranger 570 Mid Size	A	A	A

		A - Ideal match B - Functional: Loads successfully. Bed may lift when loading and/or unloading depending on loading speed.		
Vehicles with Wheel Base up to 81"		/ TILT1072	/ TILT1282	/ TILT1482
Polaris	RZR 570	A	A	A
Polaris	RZR 570 EPS	A	A	A
Polaris	Ranger 570 Full Size	A	A	A
Polaris	RZR 900	A	A	A
Polaris	RZR S 900	A	A	A
Polaris	RZR S 900 EPS	A	A	A

		A - Ideal match B - Functional: Loads successfully. Bed may lift when loading and/or unloading depending on loading speed.		
Vehicles with Wheel Base from 82" to 93"		/ TILT1072	/ TILT1282	/ TILT1482
Arctic Cat	HDX 500 XT	B	A	A
Arctic Cat	HDX 700 XT EPS	B	A	A
Arctic Cat	Wildcat Sport Limited EPS	B	B	A
Arctic Cat	Wildcat Sport XT EPS	B	B	A
Arctic Cat	Wildcat Trail	B	B	A
Arctic Cat	Wildcat Trail Limited EPS	B	B	A
Arctic Cat	Wildcat Trail XT EPS	B	B	A
Bad Boy	Ambush iS 4-Pass		B	A
Bad Boy	Stampede		B	A
Can-Am	Defender		B	A
Can-Am	Defender DPS		B	A
Can-Am	Defender Mossy Oak		B	A
Can-Am	Defender XT		B	A
Can-Am	Defender XT Cab		B	A
Can-Am	Maverick DPS		B	A
Can-Am	Maverick XC		B	A
Can-Am	Maverick Turbo		B	A
Kawasaki	Mule 4010 TRANS 4x4		B	B

		A - Ideal match B - Functional: Loads successfully. Bed may lift when loading and/or unloading depending on loading speed.		
Vehicles with Wheel Base from 82" to 93"		/ TILT1072	/ TILT1282	/ TILT1482
Kawasaki	Mule 4010 TRANS 4x4 CAMO		B	B
Kawasaki	Mule 4010 TRANS 4x4 SE		B	B
Kawasaki	TERYX4		B	B
Kawasaki	TERYX4 CAMO		B	B
Kawasaki	TERYX4 LE		B	B
Kawasaki	TERYX		B	B
Kawasaki	TERYX CAMO		B	B
Kawasaki	TERYX LE		B	B
Kawasaki	Mule Pro-DX Diesel		B	B
Kawasaki	Mule Pro-DX EPS Diesel		B	B
Kawasaki	Mule Pro-DX EPS LE Diesel		B	B
Kawasaki	Mule Pro-DXT Diesel		B	B
Kawasaki	Mule Pro-DXT EPS Diesel		B	B
Kawasaki	Mule Pro-DXT EPS LE Diesel		B	B
Kawasaki	Mule Pro-FX		B	B
Kawasaki	Mule Pro-FX EPS		B	B
Kawasaki	Mule Pro-FX EPS LE		B	B
Kawasaki	Mule Pro-FXT		B	B
Kawasaki	Mule Pro-FXT EPS		B	B
Kawasaki	Mule Pro-FXT EPS CAMO		B	B
Kawasaki	Mule Pro-FXT EPS LE		B	B
Kawasaki	Mule Pro-FXT Ranch Edition		B	B
Polaris	General 1000 EPS	A	A	A
Polaris	Ranger XP 1000	A	A	A
Polaris	Ranger XP 900	A	A	A
Polaris	RZR S 570 EPS	A	A	A
Polaris	RZR XP 1000 EPS		B	B

		A - Ideal match B - Functional: Loads successfully. Bed may lift when loading and/or unloading depending on loading speed.		
Vehicles with Wheel Base from 82" to 93"		/ TILT1072	/ TILT1282	/ TILT1482
Polaris	RZR XP TURBO EPS		B	B
Polaris	Ranger Diesel HST Deluxe		A	A
Yamaha	Viking		B	B
Yamaha	Viking EPS		B	B
Yamaha	Viking EPS SE		B	B
Yamaha	Wolverine	A	B	A
Yamaha	Wolverine EPS	A	B	A
Yamaha	Wolverine R-SPEC	A	B	A
Yamaha	Wolverine R-SPEC EPS	A	B	A
Yamaha	Wolverine R-SPEC EPS SE	A	B	A
Yamaha	YXZI000R		B	B
Yamaha	YXZI000R SE		B	B
Yamaha	YXZI000R SS		B	B
Yamaha	YXZI000R SS SE		B	B

		A - Ideal match B - Functional: Loads successfully. Bed may lift when loading and/or unloading depending on loading speed.		
Vehicles with Wheel Base from 94" to 108"		/ TILT1072	/ TILT1282	/ TILT1482
Arctic Cat	Wildcat X Limited		B	B
Bad Boy	Recoil iS Crew			B
Can-Am	Commander Max DPS			B
Can-Am	Commander Max Limited			B
Can-Am	Commander Max XT			B
Can-Am	Maverick X3			B
Can-Am	Maverick X3 X DS			B
Can-Am	Maverick X3 X RS			B

		A - Ideal match B - Functional: Loads successfully. Bed may lift when loading and/or unloading depending on loading speed.		
Vehicles with Wheel Base from 94" to 108"		/ TILT1072	/ TILT1282	/ TILT1482
John Deere	XUV550 S4			B
John Deere	XUV560 S4			B
John Deere	XUV590i S4			B
Kubota	RTV-XII40		B	A
Polaris	Ranger 6x6		A	B
Polaris	Ranger Crew 570-4			B
Polaris	Ranger Crew 570-6			B
Polaris	RZR 4 900 EPS			B

		A - Ideal match B - Functional: Loads successfully. Bed may lift when loading and/or unloading depending on loading speed.		
Vehicles with 108" to 118" Wheel Base		/ TILT1482 with Hinged End Gate Kit & Corner Post 17787		
Arctic Cat	HDX 700 Crew XT		B	
Bad Boy	Ambush iS 2-Pass		B	
Bad Boy	Stampede XTR		B	
Can-Am	Defender Max DPS		B	
Can-Am	Defender Max XT		B	
Can-Am	Maverick Max DPS		B	
Can-Am	Maverick Max X MR		B	
Can-Am	Maverick Max Turbo		B	
Can-Am	Maverick Max X DS Turbo		B	
Can-Am	Maverick Max X RS Turbo		B	
Can-Am	Maverick X MR		B	
John Deere	XUV590i		B	
John Deere	XUV825i S4		B	
Polaris	General 4 1000 EPS		B	
Polaris	Ranger Crew XP 900		B	

		A - Ideal match B - Functional: Loads successfully. Bed may lift when loading and/or unloading depending on loading speed.
Vehicles with 108" to 118" Wheel Base		/ TILT1482 with Hinged End Gate Kit & Corner Post 17787
Polaris	RZR 4 1000 EPS	B
Polaris	RZR 4 TURBO EPS	B
John Deere	XUV855D S4	B
Yamaha	Viking VI	B
Yamaha	Viking VI EPS	B
Yamaha	Viking VI EPS Ranch Edition	B
Yamaha	Viking VI EPS SE	B